

Dimensions in mm and approximate

## Battery Powered Table Lamp | Buoy

### Finish Options

- Black  
BU.TLB.CONB
- White  
BU.TLB.CONW
- Grey  
BU.TLB.CONG

*(Others available on request)*

### Shade

N/A

### Lamp Base

Special Socket

### Recommended Lamp

1.8W Special Retrofit 1800K-2500K

### Flex

N/A

### Switching & Plug

Integrated Dimmer Switch

### Base Weight


0.5 kg approx.

### Dimming Type

Integrated (Dim to Warm)

### Certification





Dimensions in mm and approximate

## Battery Powered Table Lamp | Buoy

### Finish Options



Black  
BU.TLB.CONB



White  
BU.TLB.CONW



Grey  
BU.TLB.CONG

*(Others available on request)*

### Flex

N/A

### Switching & Plug

Integrated Dimmer  
Switch

### Shade

N/A

### Base Weight

0.5 kg approx.

### Lamp Base

Special Socket

### Dimming Type


Integrated (Dim to Warm)

### Recommended Lamp

1.8W Special Retrofit 1800K-2500K

### Certification





Dimensions in mm and approximate

## Battery Powered Table Lamp | Buoy

### Finish Options



Black  
BU.TLB.CONB



White  
BU.TLB.CONW



Grey  
BU.TLB.CONG

*(Others available on request)*

### Shade

N/A

### Lamp Base

Special Socket

### Recommended Lamp

1.8W Special Retrofit 1800K-2500K

### Flex

N/A

### Switching & Plug

Integrated Dimmer Switch

### Base Weight

0.5 kg approx.

### Dimming Type

Integrated (Dim to Warm)

### Certification

